111 Bellen Rd, Ste2, Broadalbin, NY, 12025 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-AUCP-22-000012

Certificate of Analysis

Date Released: 8/7/2023 1:02:10PM

Report #: 2578

NYHoney Dosido

Sample #: 2035, Weight: 21.00g, Unit Count:

Order #: X230728-0004

Category/Type: Concentrates & Extract, Vape Cartridge

Date Collected: 7/28/2023 6:23:18PM Date Received: 7/28/2023 6:35:29PM Regulator Sample ID: NYHYDSD-002 Regulator Source Package ID: NYHYDSD-002

Regulator Batch ID: NYHYDSD-002

Size: 259Units, Unit Count:



Total Cannabinoids 80.38 % 803.8 mg/g

Residual Solvents

PASS











Total Terpenes Heavy Metals 7.9 % **PASS**

PASS

Total CBD

3.019 %

30.19 mg/g

PASS

Mycotoxins

Potency Analysis by

HPLC

Total Cannabinoids: 80.38 % - 803.8 mg/g

Total THC: 72.71 % - 727.1 mg/g Total CBD: 3.019 % - 30.19 mg/g

Compound CAS# LOQ mg/g (%) d9-THC 1972-08-3 0.001000 72.71 727.1 CBD 13956-29-1 0.001000 3.019 30.19 25654-31-3 0.001000 2.931 CBC 20675-51-8 0.001000 0.6754 6.754 0.6010 CBN 521-35-7 0.001000 6.010 THCV 31262-37-0 0.001000 0.4462 4.462 THCa 23978-85-0 0.001000 ND ND d8-THC 5957-75-5 0.001000 ND ND d10-THC 95543-62-7 0.001000 NΠ NΠ CBDa ND 1244-58-2 0.001000 ND CBDV 24274-48-4 0.001000 ND ND CBGa

Date Completed: 08/03/2023 11:09AM

Relative Concentration

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007

Kelly N. Greela




111 Bellen Rd, Ste2, Broadalbin, NY, 12025 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-AUCP-22-000012

Certificate of Analysis

Final



This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007





111 Bellen Rd, Ste2, Broadalbin, NY, 12025 sonja@veteranshempmarket.com 518-246-0755

License #: OCM-AUCP-22-000012

Certificate of Analysis

Final

Sample #: 2035 NYHoney Dosido

ompound	CAS#	LOQ (%)	%	Relative Concentration
-Nerolidol	142-50-7	0.1000	ND	
-Ocimene	3338-55-4	0.1000	ND	
do-Fenchyl Alcohol	14575-74-7	0.1000	ND	
calyptol	470-82-6	0.1000	ND	
nchone	1195-79-5	0.1000	ND	
mma-Terpinene	99-85-4	0.1000	ND	
mma-Terpineol	586-81-2	0.1000	ND	
raniol	106-24-1	0.1000	ND	
ranyl Acetate	105-87-3	0.1000	ND	
aiol	489-86-1	0.1000	ND	
xahydro Thymol	15356-70-4	0.1000	ND	
rol	106-25-2	0.1000	ND	
Mentha-1,5-diene	99-83-2	0.1000	ND	
egone	89-82-7	0.1000	ND	
pinene	3387-41-5	0.1000	ND	
oinene Hydrate	546-79-2	0.1000	ND	
pinolene	586-62-9	0.1000	ND	
ns-Nerolidol	40716-66-3	0.1000	ND	
encene	4630-07-3	0.1000	ND	

Pass		Analysis Date: 08/03/2023 9:56 at	
LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
0.0100	0.5	ND	Pass
0.0100	0.4	ND	Pass
0.0100	2	ND	Pass
0.0100	0.2	ND	Pass
	LOQ (μg/g) 0.0100 0.0100 0.0100	LOQ (μg/g) Limits (μg/g) 0.0100 0.5 0.0100 0.4 0.0100 2	LOQ (μg/g) Limits (μg/g) Result (μg/g) 0.0100 0.5 ND 0.0100 0.4 ND 0.0100 2 ND

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007





111 Bellen Rd, Ste2, Broadalbin, NY, 12025 sonja@veteranshempmarket.com 518-246-0755 License #: OCM-AUCP-22-000012

Certificate of Analysis

Final

Sample #: 2035 NYHoney Dosido

sticides by LCMSMS	Pass	;	Analysis Date: 08/03/2023 9:56 a	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Aldicarb	0.0100	0.4	ND	Pass
Azadirachtin	0.0100	1	ND	Pass
Azoxystrobin	0.0100	0.2	ND	Pass
Bifenazate	0.0100	0.2	ND	Pass
Bifenthrin	0.0100	0.2	ND	Pass
Boscalid	0.0100	0.4	ND	Pass
Captan	0.0100	1	ND	Pass
Carbaryl	0.0100	0.2	ND	Pass
Carbofuran	0.0100	0.2	ND	Pass
Chlorantraniliprole	0.0100	0.2	ND	Pass
Chlordane-alpha	0.0100	1	ND	Pass
Chlorfenapyr	0.0100	1	ND	Pass
Chlormequat Chloride	0.0100	1	ND	Pass
Chlorpyrifos	0.0100	0.2	ND	Pass
Clofentezine	0.0100	0.2	ND	Pass
Coumaphos	0.0100	1	ND	Pass
Cyfluthrin	0.0100	1	ND	Pass
Cypermethrin	0.0100	1	ND	Pass
Daminozide	0.0100	1	ND	Pass
Diazinon	0.0100	0.2	ND	Pass
Dichlorvos	0.0100	1	ND	Pass
Dimethoate	0.0100	0.2	ND	Pass
Dimethomorph	0.0100	1	ND	Pass
Ethoprophos	0.0100	0.2	ND	Pass
Etofenprox	0.0100	0.4	ND	Pass
Etoxazole	0.0100	0.2	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela



111 Bellen Rd, Ste2, Broadalbin, NY, 12025 sonja@veteranshempmarket.com 518-246-0755 License #: OCM-AUCP-22-000012

Certificate of Analysis

Final

Sample #: 2035 NYHoney Dosido

sticides by LCMSMS	Pass	;	Analysis Date: 08/03/2023 9:56	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Fenhexamid	0.0100	1	ND	Pass
Fenoxycarb	0.0100	0.2	ND	Pass
Fenpyroximate	0.0100	0.4	ND	Pass
Fipronil	0.0100	0.4	ND	Pass
Flonicamid	0.0100	1	ND	Pass
Fludioxonil	0.0100	0.4	ND	Pass
Hexythiazox	0.0100	1	ND	Pass
lmazalil	0.0100	0.2	ND	Pass
Imidacloprid	0.0100	0.4	ND	Pass
Indolebutyric Acid	0.0100	1	0.0527	Pass
Kresoxim-methyl	0.0100	0.4	ND	Pass
Malathion	0.0100	0.2	ND	Pass
Metalaxyl	0.0100	0.2	ND	Pass
Methiocarb	0.0100	0.2	ND	Pass
Methomyl	0.0100	0.4	ND	Pass
Methyl Parathion	0.0100	0.2	ND	Pass
Mevinphos	0.0100	1	ND	Pass
MGK-264	0.0100	0.2	ND	Pass
Myclobutanil	0.0100	0.2	ND	Pass
Naled	0.0100	0.5	ND	Pass
Oxamyl	0.0100	1	ND	Pass
Paclobutrazol	0.0100	0.4	ND	Pass
Pentachloronitrobenzene	0.0100	1	ND	Pass
Permethrins, Total	0.0100	0.2	ND	Pass
Phosmet	0.0100	0.2	ND	Pass
Piperonyl Butoxide	0.0100	2	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007





Sample #: 2035

Certificate of Analysis

111 Bellen Rd, Ste2, Broadalbin, NY, 12025 sonja@veteranshempmarket.com

518-246-0755

License #: OCM-AUCP-22-000012

NYHoney Dosido

sticides by LCMSMS	Pass	;	Analysis Date: 08/03/2023 9:56 ar		
Compound	LOQ (µg/g)	Limits (μg/g)	Result (μg/g)	Status	
Prallethrin	0.0100	0.2	ND	Pass	
Propiconazole	0.0100	0.4	ND	Pass	
Propoxur	0.0100	0.2	ND	Pass	
Pyrethrins Total	0.0100	1	ND	Pass	
Pyridaben	0.0100	0.2	ND	Pass	
Spinetoram Total	0.0100	1	ND	Pass	
Spinosad Total	0.0100	0.2	ND	Pass	
Spiromesifen	0.0100	0.2	ND	Pass	
Spirotetramat	0.0100	0.2	ND	Pass	
Spiroxamine	0.0100	0.2	ND	Pass	
Tebuconazole	0.0100	0.4	ND	Pass	
Thiacloprid	0.0100	0.2	ND	Pass	
Thiamethoxam	0.0100	0.2	ND	Pass	
Trifloxystrobin	0.0100	0.2	ND	Pass	

Pass		Analysis Date: 08/01/2023 11:19 ar	
LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
10.00	5	ND	Pass
50.00	5000	ND	Pass
50.00	410	ND	Pass
0.5000	2	ND	Pass
25.00	5000	ND	Pass
0.5000	60	ND	Pass
50.00	5000	ND	Pass
50.00	5000	ND	Pass
	LOQ (ppm) 10.00 50.00 50.00 0.5000 25.00 0.5000 50.00	LOQ (ppm) Limits (ppm) 10.00 5 50.00 5000 50.00 410 0.5000 2 25.00 5000 0.5000 60 50.00 5000	LOQ (ppm) Limits (ppm) Result (ppm) 10.00 5 ND 50.00 5000 ND 50.00 410 ND 0.5000 2 ND 25.00 5000 ND 0.5000 60 ND 50.00 5000 ND

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007





111 Bellen Rd, Ste2, Broadalbin, NY, 12025 sonja@veteranshempmarket.com 518-246-0755 License #: OCM-AUCP-22-000012

Certificate of Analysis

Final

Sample #: 2035 NYHoney Dosido

sidual Solvents by HS-GC-MS	Pass		Analysis Date: 08/01/2023 11:19	
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status
Ethyl acetate	50.00	5000	ND	Pass
Ethyl ether	50.00	5000	ND	Pass
Heptane	50.00	5000	ND	Pass
Hexanes Total	10.00	290	ND	Pass
Isopropanol	50.00	5000	ND	Pass
Methanol	50.00	3000	ND	Pass
Methylene chloride	50.00	600	ND	Pass
Pentanes Total	16.70	5000	ND	Pass
Propane	50.00	5000	ND	Pass
Toluene	50.00	890	ND	Pass
Total xylenes	25.00	2170	ND	Pass
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass

LOQ (µg/g)			
LOW (µg/g)	Limits (μg/g)	Result (μg/g)	Status
0.0050	0.020	ND	Pass
0.0050	0.020	ND	Pass
0.0050	0.020	ND	Pass
0.0050	0.020	ND	Pass
0.0050	0.020	ND	Pass
0.0050	0.020	ND	Pass
	0.0050 0.0050 0.0050 0.0050 0.0050	0.0050 0.020 0.0050 0.020 0.0050 0.020 0.0050 0.020	0.0050 0.020 ND 0.0050 0.020 ND 0.0050 0.020 ND 0.0050 0.020 ND 0.0050 0.020 ND

Heavy Metals by ICPMS	Pass		Analysis Date:	08/02/2023 11:56 am
Compound	LOQ (μg/g)	Limits (μg/g)	Result (µg/g)	Status

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007





111 Bellen Rd, Ste2, Broadalbin, NY, 12025 sonja@veteranshempmarket.com 518-246-0755 License #: OCM-AUCP-22-000012

Certificate of Analysis

Final

Sample #: 2035 NYHoney Dosido

Limits (μg/g 2 0.2 0.3	0.0256 0.0169 ND	Pass Pass Pass
0.2 0.3	0.0169 ND	Pass
0.3	ND	
		Pass
110		
110	1.94	Pass
30	ND	Pass
0.5	ND	Pass
0.1	ND	Pass
٥	ND	Pass
		0.1 ND

Pass	3	Analysis Date: 08/02/2023 12:48 pt	
LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
0	0	Not Detected	Pass
0	0	Not Detected	Pass
0	0	Not Detected	Pass
0	0	Not Detected	Pass
0	0	Not Detected	Pass
0	0	Not Detected	Pass
10	10000	ND	Pass
10	1000	ND	Pass
	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 10 1	LOQ (CFU/g) Limits (CFU/g) Result (CFU/g) 0 0 Not Detected 10 10000 ND

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007



